

NUCOR

BAR MILL GROUP

NUCOR STEEL CONNECTICUT, INC.

QUALITY STATEMENT FOR WELDED WIRE REINFORCEMENT PRODUCTS

SPACING	W/D	STYLE
6"x6"	1.4/1.4	ALL SHEET/ROLL SIZES
6"x6"	2.1/2.1	ALL SHEET/ROLL SIZES
6"x6"	2.9/2.9	ALL SHEET/ROLL SIZES
6"x6"	4/4	ALL SHEET SIZES
4"x4"	2.9/2.9	ALL SHEET SIZES
4"x4"	4/4	ALL SHEET SIZES

Application: Welded wire reinforcement manufactured by Nucor Steel Connecticut, Inc.

1. All wire for concrete reinforcement and welded wire reinforcement conforms to ASTM A-1064 specifications. ASTM A-1064 incorporated the four existing wire and welded wire for concrete reinforcement as noted below:
 - a. All smooth welded wire reinforcement conforms to ASTM A-82 and A-185 specifications.
 - b. All deformed welded wire reinforcement conforms to the ASTM A-496 and A-497 specifications.
2. All epoxy coated welded wire reinforcement conforms to ASTM A-884 Class A specification and fusion bonded requirements as per ASTM A-775.
3. All hot-dipped galvanized welded wire reinforcement conforms to ASTM A-123 & A-1060.

All welded wire reinforcement sold by Nucor Steel Connecticut, Inc. is manufactured at the following location:

- Nucor Steel Connecticut, Inc. 35 Toelles Road, Wallingford, CT 06492

All material was melted, rolled and manufactured in the United States of America unless otherwise noted on the certified mill test report.



John P. Brasell
Quality Assurance Metallurgist
5/11/2015